


€ X O €


1.

08 00 ь Q

Q № 0 ТБ 08 708 ' 0

U-0





o

.

↔

q̃


4


m "

&

5

t





.

[illegible]

KP.



n

6

5

1

b

1

G}


V

D

J

Φ ΙJ

--	--



7 Y
ÈLb" X @¶"




--	--

释放源名称	距离 (m)	
	I	R
易燃液体输送泵	3	1
工作压力 $\leq 1.6 \text{ MPa}$	15	7.5
工作压力 $> 1.6 \text{ MPa}$	3	1

Et

3523





499 . 9 .

á




19Bx

R@m " Đ '

81

+





r

r

[illegible]

TON

--	--	--	--	--



E



400

EfaW

00E

1N

)

MŽ

"101

•\$Ÿ P CV""•>°
#

Φ 3

Ã Ä W+XÊ ?# "Û

" ,

Ÿ V-MS' B03 »
V-MS
X

Æ

ë

»»



<

5 -




Ä

Ä
J. I.

Ä
OM > 5"Ä
+O

Ä
b" I / J
+O

3+




0 .

Δ


,



3 .



- 4 . 1 0 6




$$\sqrt{\quad}$$

6/1

40 \$ 0

L . 5




đKk) n



辽宁海辰尔油气
储运有限公司

标准名称：中国：《GB36894-2018》



2143

E

))@&J`

CLEB

đ p ð

mā

Wz Oly S+X

QZB
